MOYER DIEBEL®

Simply Engineered Better

PRICE SCHEDULE

Effective February 1, 2026



GLASSWASHING
WAREWASHING

Model Features

201HT

High Temperature / Built-in Booster / Fill & Drain

- Pumped Drain permits use of the drain connection up to 6' of which 3' can be vertical
- Advance service diagnostics
- Soft Start protects glasses and dishes
- Fresh water wash and pumped rinse
- Upper & lower interchangeable spray arms
- Stainless steel top and side panels
- Counter-balanced door
- Wash tank heater
- Two 20" x 20" racks one peg and one flat

201LT

Low Temperature

- Pumped Drain-permits use of the drain connection up to 6' of which 3' can be vertical
- Advance service diagnostics
- Soft Start protects glasses and dishes
- Fresh water wash and pumped rinse
- Upper & lower interchangeable spray arms
- Stainless steel top and side panels
- Counter-balanced door
- Energy Efficient – only 15 amp breaker required for 115v plug
- Wash tank heater
- Two 20" x 20" racks one peg and one flat

383HT

High Temperature / Built-in Booster

- ENERGY STAR® Qualified
- Smart Display digital readouts/indicators
- Solid state controls
- Automatic Pumped Drain-no stand pipe
- Auto Clean washes chamber at shutdown
- Advanced Service Diagnostics
- Fill Sentry monitors incoming water
- Drain Sentry ensures proper draining
- Rinse Sentry ensures proper 180°F/82°C final rinse temperature
- Automatic fill at start-up
- Robust, counter-balanced, double skin door
- Energy Efficient-30 amp breaker with 4 kW booster heater (optional 6 kW available)
- Two 20" x 20" racks one peg and one flat



201HT



383HT

201 Models

- ☐ **201HT** High temp, 6kW, 70° rise with built-in booster, fill and drain
  Voltage: 208-240/60/1. Approx. ship wt: 198 lbs ..... **$ 9,022**
- ☐ **201HT** High temp, 9kW high speed recovery 70°F rise with built-in booster, fill and drain
  Voltage: 208-240/60/1. Approx. ship wt: 198 lbs ..... **$ 9,665**
- ☐ **201LT** Low temp without booster, fill and drain
  Voltage: 115/60/1. Approx. ship wt: 165 lbs, NEMA 5-15P ..... **$ 8,643**

383 Models

- ☐ **383HT** High temp, 4kW 70° degree rise with built-in booster, fresh water rinse
  Voltage: 208-240/60/1. Approx. ship wt.: 165 lbs ..... **$ 9,022**
- ☐ **383HT** High temp, 6kW high speed recovery with built-in booster, fresh water rinse
  Voltage: 208-240/60/1. Approx. ship wt: 165 lbs. ..... **$ 9,665**

Options & Accessories

- ☐ **17RS** 17" rack storage stand.
  Approx. ship wt: 42 lbs. ..... **$ 1,499**
- ☐ **Racks,** additional peg or flat (specify) each ..... **$ 218**
- ☐ **8" stand.** Approx. ship wt: 9 lbs. ..... **$ 798**
- ☐ **Drain Water Tempering Kit** (ships uninstalled) ..... **$ 1,087**
- ☐ **1" Roller Kit** Approx. ship wt: 10 lbs. ..... **$ 305**
- ☐ **Low Chemical Alarm** (factory installation at time of order) .....
  Set of 2 for detergent and sanitizer pumps..... **$ 1,140**
- ☐ **3 Phase Wiring** (pre-wired at factory) (201 model only) ..... **$ 401**
- ☐ **50 Cycle** (383HT) ..... **$ 632**
- ☐ **Kinetico Pro**-Water softener System (net/net) ..... **$ 3,168**
- ☐ **Drip Trays** for Undercounters (top) ..... **$ 627**
- ☐ **1 Year Extended Warranty** (NOTE: Warranty covers 60 miles each way of a major city center. Please contact factory for additional information (net/net) ..... **$ 963**

NON-STANDARD VOLTAGES:
Contact factory for availability and price.







MOYER DIEBEL CRAFT SERIES

Craft Series Features

- Practical loading height 22-1/2" (572mm)
- Soft Start protect glasses and mugs
- Type 316 stainless steel tank
- 12-1/8" (308mm) door opening
- Delime feature
- Auto-clean
- Microcomputer controls and temp displays
- Flexible fill and drain lines
- Flow regulator/line strainer – no PRV required
- Standard pumped drain
- Advanced service diagnostics
- Quiet run technology
- Counter-balanced door
- Liquid detergent & rinse-aid pumps
- Two 20" x 20" racks one peg, one flat

601LTG

Low Temperature

- "Varicycle"– for heavily soiled wares
- Fill and drain
- Delime feature
- Auto-clean
- Sanitizer pumps
- Electric tank heater (0.75 kW)

601HTG

High Temperature / Built-in Booster

- Heavy duty cycle – for heavily soiled wares
- Dedicated rinse arms for sparkling results
- Built-in booster with Rinse Sentry – 180°F final rinse
- Multi-power, allows for easy field conversion to 3 phase

601HRG

High Temperature / Heat Recovery / Built-in Booster

- Up to 50% more energy efficient – reduced costs
- Condensation is removed
- RAPID-DRY
- Built-in booster with Rinse Sentry – 180°F final rinse
- Multi-cycle; 3 cycle time options
- Electric tank heater (2 kW)
- Multi-power, allows for easy field conversion to 3 phase

601 Models

- ☐ **601LTG** Low temp Approx. ship wt: 198 lbs. ..... **$ 8,787**
- ☐ **601HTG** High temp 6kW 70° rise booster. Approx. ship wt: 198 lbs. ..... **$ 9,312**
- ☐ **601HTG** High temp 9kW high speed recovery booster standard . Approx. ship wt: 198 lbs. ..... **$ 9,848**
- ☐ **601HRG** High temp 5kW energy recovery booster standard. Approx. ship wt: 198 lbs ..... **$ 13,173**

Options & Accessories

- ☐ **17RS** 17" rack storage stand. Approx. ship wt: 42 lbs. ..... **$ 1,435**
- ☐ **Racks,** additional peg or flat (specify) each ..... **$ 218**
- ☐ **8" stand.** Approx. ship wt: 9 lbs. ..... **$ 814**
- ☐ **Drain Water Tempering Kit** (ships uninstalled) ..... **$ 1,087**
- ☐ **1" Roller Kit** Approx. ship wt: 10 lbs. ..... **$ 305**
- ☐ **Low Chemical Alarm** (factory installation at time of order)
  Set of 2 for detergent and sanitizer pumps ..... **$ 1,140**
- ☐ **3 Phase Wiring** (pre-wired at factory)
  (HRG model only) ..... **$ 401**
- ☐ **Kinetico Pro**-Water softener System (net/net) ..... **$ 3,168**
- ☐ **Drip Trays** for Undercounters (top) ..... **$ 627**
- ☐ **1 Year Extended Warranty** (NOTE: Warranty covers 60 miles each way of a major city center. Please contact factory for additional information (net/net) ..... **$ 963**

Model Features

DF Revolution
Rotary Glasswasher

- 12" glass clearance
- Double-walled Construction
- Cool Final Rinse
- Polypropylene Conveyor
- Auto Fill, Clean, & Drain
- AI Water Quality Monitoring
- 38% Less Water Consumption
- Smart Controls

SW
Conveyor Glasswasher

- Fully automatic operation
- 3 built-in chemical dispensers
- 140°F wash; cool fresh water rinse
- Approx. 2000, 2-1/2" glasses/hour
- Right to left or left to right operation
- Start-up included

DF Series Models

☐ **DF Rotary Glasswasher**
1,200 glasses / hour. Cold water rinse. ..... **$ 14,030**



DF Revolution

SW Series Models

☐ **SW400R** RH loading 4' glasswasher
2,000 glasses / hour. Cold water rinse. ..... **$ 24,665**

☐ **SW400L** LH loading 4' glasswasher
2,000 glasses / hour. Cold water rinse ..... **$ 24,665**

☐ **SW600R** RH loading 6' glasswasher
2,000 glasses / hour. Cold water rinse. ..... **$ 26,801**

☐ **SW600L** LH loading 6' glasswasher
2,000 glasses / hour. Cold water rinse ..... **$ 26,801**



SW400

Options & Accessories

☐ **Kit 264** Wash down hose. Approx. ship wt.: 4 lbs. ..... **$ 454**

☐ **SW12** Stainless steel splash guards. Set of 2.
For SW400. Shipped with machine ..... **$ 454**

☐ **SW24** Stainless steel splash guards. Set of 2.
For SW600. Shipped with machine ..... **$ 519**

☐ **SW48** Stainless steel back panel (SW400) Shipped with machine ..... **$ 803**

☐ **SW72** Stainless steel back panel (SW600) Shipped with machine ..... **$ 910**

☐ **Kit 332** Casters, set of 4: 2 locking, 2 stationary. ..... **$ 1,054**

☐ **Quick Disconnect Package**
Includes casters. Approx. ship wt: 10 lbs. ..... **$ 1,461**

☐ **SW High Hood** (SW400, SW600) specify when ordering ..... **$ 2,104**

☐ **Low Chemical Alarm** Set of 2.
For detergent / sanitizer pumps (DF, SW) ..... **$ 1,189**

☐ **Drain Tray and Waste Collector** (SW400 & DF) ..... **$ 466**

☐ **Extended warranty** ..... **Contact Factory**

☐ **Kinetico Pro**-Water Softener System (net/net) ..... **$ 3,168**



SW600

All SW and DF models are 208-240/60/1
and come standard with a NEMA 6-15P plug



New MD2000+ Machine Features

- ENERGY STAR® Qualified
- Advanced 4.3" TFT Display
- Enhanced Visual On-Board Diagnostics
- Exclusive in-field convertible to
  - 208 OR 240 volt
  - Single OR three phase
  - Corner OR straight through operation
- 60 Racks Per Hour
- Automatic Delime Function
- Automatic Drain Valve
- Rinse Sentry
- Auto Start
- Low Water Tank Heat Protection
- Vent Fan, Detergent, Rinse Aid Signal Provided

Models

- ☐ **MD2000+** High temp, self draining, door-type machine with built-in booster dual voltage: 208-240. Dual phase 1-3. Dual booster heater 40°F-70°F. Approx. ship wt: 242 lbs. ..... **$ 15,529**
- ☐ **MD2000LT** Low temp, chemical sanitizing. Approx. ship wt: 242 lbs. ..... **$ 11,454**
- ☐ **MDHHD-VL Heat Recovery** High temp, High hood, Cold water feed, door-type machine with built-in booster with heat recovery. Approx. ship wt: 242 lbs ..... **$ 38,250**
- ☐ **MDHHD** High temp, high hood door-type machine. HMI Waterproof Touch Screen Interface. On-board service diagnostics. Sleep mode.
  - Electric no booster ..... **$ 23,970**
  - Electric (40°F-70°F rise booster) ..... **$ 28,050**

Options & Accessories

- ☐ **Pump Drain** ..... **$ 520**
- ☐ **Peg Rack** ..... **$ 155**
- ☐ **Flat Rack** ..... **$ 155**
- ☐ **Sheet Pan Rack** ..... **$ 347**
- ☐ **Drain Water Tempering Kit** (ships mounted) ..... **$ 1,681**
- ☐ **Flanged Feet** (Set of 4) ..... **$ 401**
- ☐ **Factory Conversion** to corner operation, includes splash baffle ..... **$ 418**
- ☐ **Splash shield** for corner operation mounted ..... **$ 278**
- ☐ **Factory Prewire** to single phase ..... **No charge**
- ☐ **1 Year Extended Warranty** (NOTE: Warranty covers 60 miles each way of a major city center. Please contact factory for additional information (net/net) ..... **$ 1,285**
- ☐ **Kinetico Pro**-Water Softener System (net/net) ..... **$ 3,168**

Price Schedule Effective February 1, 2026. Supersedes all previous lists.

Rack-Conveyor Dishwasher Features

- 209 Racks Per Hour
- 0.48 Gallons/Rack With Energy Sentinel
- Vent Cowl
- Perpetual Rack Advance System
- Single Point Water and Electrical Connection
- Automated Delime Function
- 20" Standard Vertical Clearance
- Advanced Touchscreen Display
- Automatic Tank Fill & Drain Valve
- Programmable Machine Dwell



MD44+

Models

☐ **MD44+** 44" single tank, electric heat rack machine
Approx. ship wt. 600 lbs. **$38,494**

☐ **MD66+** 66" single tank prewash, electric heat rack machine
Approx. ship wt. 800 lbs. ..... **$ 60,715**

Options & Accessories

☐ **70° Rise Electric Booster** (select at time of order) ..... **$ 6,800**
☐ **Table Limit Switch** ..... **$ 710**
☐ **Voltage 208/60/3** ..... **No Charge**
☐ **Voltage 240/60/3** ..... **No Charge**
☐ **Drain Water Tempering Kit** (unmounted). ..... **$ 2,045**
☐ **Water Pressure Reducing Valve** (unmounted) ..... **$ 503**
☐ **Pressure Regulating Valve** (ships uninstalled. standard with booster) ..... **$ 315**
☐ **Flanged Feet** ..... **$ 632**
☐ **Extended Warranty** ..... **Contact Factory**
☐ **Kinetico Pro** -Water Softener System (net/net) ..... **$ 2,900**
☐ **MD90 Unloader** (unmounted) **$13,280**
☐ **64" Roller Table** ..... **$ 8,065**
☐ **84" Roller Table** ..... **$ 8,065**
☐ **24" Sideloader** ..... **$ 9,513**
☐ **30" Sideloader** ..... **$ 14,727**
☐ **Sheet Pan Rack** ..... **$ 466**
☐ **Shock Arrestor** ..... **$ 187**
☐ **Peg Rack** ..... **$ 146**
☐ **Flat Rack** ..... **$ 146**



MD66+

Moyer Diebel, 3765 Champion Blvd., Winston-Salem, North Carolina 27115, and 2674 North Service Road, Jordan Station, Ontario, Canada L0R 1S0, warrants machines, and parts, as set out below.

Warranty of Machines: Moyer Diebel warrants all new machines of its manufacture bearing the name "Moyer Diebel" and installed within the United States and Canada to be free from defects in material and workmanship for a period of one (1) year after the date of installation or fifteen (15) months after the date of shipment by Moyer Diebel, whichever occurs first. The warranty registration card must be returned to Moyer Diebel within ten (10) days after installation. If warranty card is not returned to Moyer Diebel within such period, the warranty will expire after one year from the date of shipment.

Moyer Diebel will not assume any responsibility for extra costs for installation in any area where there are jurisdictional problems with local trades or unions.

If a defect in workmanship or material is found to exist within the warranty period, Moyer Diebel, at its election, will either repair or replace the defective machine or accept return of the machine for full credit. In the event that Moyer Diebel elects to repair, the labor and work to be performed in connection with the warranty shall be done during regular working hours by a Moyer Diebel authorized service technician. Defective parts become the property of Moyer Diebel. Use of replacement parts not authorized by Moyer Diebel will relieve Moyer Diebel of all further liability in connection with its warranty. In no event will Moyer Diebel's warranty obligation exceed Moyer Diebel's charge for the machine.

The following are not covered by Moyer Diebel's warranty:

a. Replacement of fuses or resetting of overload breakers.
b. Adjustment of thermostats.
c. Opening or closing of utility supply valves or switching of electrical supply current.
d. Cleaning of valves, strainers, screens, nozzles, or spray pipes.
e. Performance of regular maintenance and cleaning as outlined in operator's guide.
f. Damages resulting from water conditions, accidents, alterations, improper use, abuse, tampering, improper installation, or failure to follow maintenance and operation procedures.

Examples of the defects not covered by warranty include, but are not limited to:

1. Damage to the exterior or interior finish as a result of the above.
2. Use with utility service other than that designated on the rating plate.
3. Improper connection to utility service.
4. Inadequate or excessive water pressure.
5. Corrosion from chemicals dispensed in excess of recommended concentrations.
6. Failure of electrical components due to connection of chemical dispensing equipment installed by others.
7. Leaks or damage resulting from such leaks caused by the installer, including those at machine table connections or by connection of chemical dispensing equipment installed by others.
8. Failure to comply with local building codes.
9. Damage caused by labor dispute.

Warranty of Parts: Moyer Diebel warrants all new machine parts produced or authorized by Moyer Diebel to be free from defects in material and workmanship for a period of 90 days from date of invoice. If any defect in material and workmanship is found to exist within the warranty period, Moyer Diebel will replace the defective part without charge.

DISCLAIMER OF WARRANTIES & LIMITATIONS OF LIABILITY

MOYER DIEBEL'S WARRANTY IS ONLY TO THE EXTENT REFLECTED ABOVE. MOYER DIEBEL MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY WARRANTY OF MERCHANTABILITY, OR FITNESS OF PURPOSE. MOYER DIEBEL SHALL NOT BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES. THE REMEDIES SET OUT ABOVE ARE THE EXCLUSIVE REMEDIES FOR ANY DEFECTS FOUND TO EXIST IN MOYER DIEBEL DISHWASHING MACHINES AND MOYER DIEBEL PARTS, AND ALL OTHER REMEDIES ARE EXCLUDED, INCLUDING ANY LIABILITY FOR INCIDENTALS OR CONSEQUENTIAL DAMAGES.

Moyer Diebel does not authorize any other person, including persons who deal in Moyer Diebel dishwashing machines, to change this warranty or create any other obligation in connection with Moyer Diebel dishwashing machines.

Terms & Conditions of Sale

1. **TERMS.** Moyer Diebel is referred to herein as "Seller." The purchaser of the machine(s) and/or part(s) subject hereto "Property") is referred to as "Buyer."

   No terms or conditions other than those stated shall be applicable to the sale of the Property unless incorporated as part of the order or quotation constituting a part of the Purchase Agreement described below. Any order for Property, and the sale thereof by the Seller to the Buyer, shall be governed by the North Carolina Uniform Commercial Code, by the agreement of the parties, and by any applicable policy statement issued by the Seller.

2. **PURCHASE AGREEMENT.** Any order for or offer to purchase the Property, excluding parts, shall not be binding on the Seller unless it is accepted in writing by the Seller's acknowledgment reflecting such acceptance. When so accepted it shall be binding in accordance with these Terms and Conditions of Sale. No modifications shall be permitted unless agreed to in writing by the parties. Unless otherwise specifically agreed to in writing, any delivery or shipping date shown, or mentioned by the Seller, is furnished only for the convenience of the Buyer, is estimated, and is not a date by which the Seller has agreed to ship or deliver the Property; provided, however, after production of a machine, payment for the machine is due within terms, unless Seller otherwise agrees.

   Change orders for the Property will not be permitted without the Seller's consent. The Seller may impose a charge in connection with any change order that the Seller accepts.

   Each shipment or delivery is subject to Seller's approval of Buyer's creditworthiness including, without limitation, determination that Buyer is not in default on any obligations to Seller.

3. **PRICES.** Unless otherwise agreed: (i) all machine prices will be F.O.B. Destination, Continental, USA, (ii) all parts prices will be F.O.B. Factory, (iii) and all sales are subject to the terms and pricing of the applicable policy in effect on the date that the order for the Property is accepted. All invoices not paid within 30 days of the date of their issue shall be subject to a delinquency charge of 1.5% per month (.0041095% per day), or such lesser amount as may be the maximum rate permitted by law. Buyer agrees to pay all costs of collection including such reasonable attorney's fees as may be allowed by law.

4. **DELIVERY.** If a delivery is ex. works, shipment of the Property will be in accordance with Buyer's instructions when reasonable and practical. In the absence of shipping instructions on F.O.B. Factory, or in the case of F.O.B. Destination, Seller may ship by such method or carrier as Seller may deem reasonable. For F.O.B. Factory shipments, the risk of loss of Property shall pass to the Buyer upon delivery of the Property to a public carrier. ("F.O.B." means "F.O.B." as defined in the Uniform Commercial Code.)

   The Seller shall not be liable for failure in the delivery of the Property as a result in whole or in part, of fire, flood, tornado, hurricane or other acts of God; because of any casualty, accident, embargo, strike, lockout, work stoppage, war or government regulation; or for any other reason beyond the Seller's reasonable control including, but not limited to, late delivery, or nondelivery, of any part or component of the Property that is the subject hereof.

5. **DISCLAIMER OF WARRANTIES AND LIMITATIONS OF DAMAGES. Machines and parts are warranted only to the extent reflected in the separate manufacturer's limited warranty provided. The seller makes no other warranties, express or implied, including, but not limited to, any warranty of merchantability, or fitness of purpose. The seller shall not be liable to buyer for incidental or consequential damages.** In case of a breach by the Seller, the Buyer's exclusive remedy shall be, at the Seller's option, repair or replacement, or the return of the machine to the Seller and refund to the Buyer of the purchase price. In no event shall the Seller's liability exceed the purchase price of the machine.

6. **MACHINE AND SPECIAL PARTS ORDER CANCELLATION AND RETURN.** Buyer acknowledges that the Seller will have incurred costs in connection with the sale of a machine or special parts order, that if the machine or special parts order is sold by the Seller pursuant to a confirmed order, that Buyer's failure to accept delivery of a machine or special parts order as to which Seller has given its acceptance will result in damage to the Seller which will be difficult to ascertain; and that liquidated damages as follows are reasonable and will be paid by the Buyer if the machine or special parts order is not purchased or returned in new condition.


   (a) As to standard machines, the Buyer will pay the Seller, as liquidated damages, 25% of the agreed price of the machine.

   (b) As to all other machines and special parts orders, the Buyer will pay the Seller, as liquidated damages, the following percentages of the agreed price of the machine or special parts order:

      i. 25% of the agreed price upon cancellation before production of the machine or special parts order begins,
      ii. 35% of the agreed price after production of the machine or special parts order has begun, and before the machine or special parts order is substantially completed, and
      iii. 50% of the agreed price after substantial completion or return of the machine or special parts order in new condition.

7. **DISPUTE RESOLUTION.** Any unresolved dispute arising in connection herewith shall be resolved by arbitration in Winston-Salem, North Carolina, under the rules of the American Arbitration Association, and judgment upon the award rendered by the arbiter(s) may be entered in any court.

8. **GENERAL PROVISIONS.** The sale of the Property herein identified shall be governed by the law of North Carolina. Failure or delay of the Seller in exercising any right, power or privilege shall not operate as a waiver of any such right, power or privilege. If any portion of these Terms and Conditions of Sale shall be held to be invalid or unenforceable, all other provisions shall nevertheless remain valid and enforceable in accordance with their terms.



MOYER DIEBEL®

Simply Engineered Better

Price Schedule Effective February 1, 2026. Supersedes all previous lists.

In line with policy to continually innovate, develop, and improve its products, Moyer Diebel reserves the right to change specifications and designs without notice.

To Order Call 833-819-8844 • Fax 336-661-1979 • www.MoyerDiebel.com

3765 Champion Blvd,
Winston-Salem, NC 27105

WELBILT®
an ALI Group Company